

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((voice <and> portal <and> text)<in>metadata)"

e-mail

Your search matched 1 of 1443568 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Speech-Enabled Computers as a Tool for Serbian-Speaking Blind Person**
Delic, V.D.; Vujnovic, N.M.; Secujski, M.S.;
Computer as a Tool, 2005. EUROCON 2005. The International Conference on
Volume 2, 21-24 Nov. 2005 Page(s):1662 - 1665
[AbstractPlus](#) | [Full Text: PDF\(1264 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

Indexed by
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((voice <and> user <and> interface <and> text <and> grammar)<in>metada..."

☒ e-mail

Your search matched 4 of 1443568 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((voice <and> user <and> interface <and> text <and> grammar)<in>metada...)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Achieving a hands-free computer interface using voice recognition and s [for ATE]**
 Evans, J.R.; Tjoland, W.A.; Allred, L.G.;
[AUTOTESTCON '99, IEEE Systems Readiness Technology Conference, 1999](#)
 30 Aug.-2 Sept. 1999 Page(s):105 - 107
 Digital Object Identifier 10.1109/AUTEST.1999.800363
[AbstractPlus](#) | Full Text: [PDF](#)(216 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Achieving a hands-free computer interface using voice recognition and s [for Windows-based ATE]**
 Evans, J.R.; Tjoland, W.A.; Allred, L.G.;
[Aerospace and Electronic Systems Magazine, IEEE](#)
 Volume 15, Issue 1, Jan. 2000 Page(s):14 - 16
 Digital Object Identifier 10.1109/62.821658
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Speechnet: a network of hyperlinked speech-accessible objects**
 Frost, R.A.;
[Advance Issues of E-Commerce and Web-Based Information Systems, WECV International Conference on](#)
 8-9 April 1999 Page(s):116 - 121
 Digital Object Identifier 10.1109/WECWIS.1999.788199
[AbstractPlus](#) | Full Text: [PDF](#)(36 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Automatic creation and tuning of context free grammars for interactive v systems**
 Balakrishna, M.; Moldovan, D.; Cave, E.K.;
[Natural Language Processing and Knowledge Engineering, 2005. IEEE NLP-K Proceedings of 2005 IEEE International Conference on](#)
 30 Oct.-1 Nov. 2005 Page(s):158 - 163
 Digital Object Identifier 10.1109/NLPKE.2005.1598726
[AbstractPlus](#) | Full Text: [PDF](#)(1632 KB) IEEE CNF
[Rights and Permissions](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "((voice <and> user <and> interface <and> text <and> grammar <and> pref..." [E-mail](#)Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE --

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((voice <and> user <and> interface <and> text <and> grammar <and> cred..."

☒ e-mailYour search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine


IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with search.

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE --



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



Nothing Found

Your search for **+abstract:text +abstract:pattern +abstract:speech +abstract:grammar +abstract:format** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 660,000 for **text pattern speech grammar format**. (0.12 seconds)Did you mean: **textpattern** speech grammar format.**Speech Recognition Grammar Specification Version 1.0**

Speech recognizer configuration: The **grammar format** does not incorporate ... are best obtained by study of statistical **patterns** of real **speech** input. ...

www.w3.org/TR/speech-grammar/ - 235k - [Cached](#) - [Similar pages](#)

Speech Recognition Grammar Specification for the W3C Speech ...

These grammars inform the recognizer of the words and **patterns** of words to ... **Speech** recognizer configuration: the **grammar format** does not incorporate ...

www.w3.org/TR/2001/WD-speech-grammar-20010820/ - 180k - [Cached](#) - [Similar pages](#)

[[More results from www.w3.org](#)]

VoiceXML Review - Feature Articles

The W3C **Speech Recognition Grammar Format** specification embodies two equivalent ... references to other rules and **patterns** of words and references. ...

www.voicexmlreview.org/Apr2001/features/w3c-grammar1.html - 37k -

[Cached](#) - [Similar pages](#)

Cover Pages: W3C Speech Recognition Grammar Specification

This W3C specification is based upon the JSpeech **Grammar Format** (JSGF) ... use in **speech** recognition so that developers can specify the words and **patterns** ...

xml.coverpages.org/speechRecognitionGrammar.html - 19k - [Cached](#) - [Similar pages](#)

Cover Pages: Java Speech Markup Language (JSML/JSpeech)

The JSpeech **Grammar Format** (JSGF) "is a platform-independent, ... in **speech** recognition so that developers can specify the words and **patterns** of words to be ...

xml.coverpages.org/jspeech.html - 22k - [Cached](#) - [Similar pages](#)

[[More results from xml.coverpages.org](#)]

Grammar Format Specification

The Java **Speech Grammar Format** is a platform-independent, ... The example **text** may also be used by **grammar** tools to verify the correctness of the **grammar**. ...

java.sun.com/products/java-media/speech/forDevelopers/JSGF/JSGF.html - 85k -

[Cached](#) - [Similar pages](#)

Java Speech API Programmer's Guide: Technical Overview

The major steps in producing **speech** from **text** are as follows: ... It is represented in the Java **Speech Grammar Format** (JSGF) which is defined in detail in ...

java.sun.com/products/java-media/speech/forDevelopers/jsapi-guide/TechOverview.html -

28k - [Cached](#) - [Similar pages](#)

Title Index

... **Speech Recognition Grammar Specification Version 1.0** · **Speech Synthesis Markup ...**

Timed Text (TT) Authoring Format 1.0 — **Distribution Format Exchange ...**

dret.net/biblio/titles - 965k - [Cached](#) - [Similar pages](#)

XML.com: Speech Synthesis Markup Language: An Introduction

The JSpeech **Grammar Format** (JSGF) is a representation of grammars for use in ...

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

textpattern speech grammar format

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 283 for **textpattern speech grammar format**. (0.41 seconds)**SQL/MM LHR-24R1**The private function Description returns a free **format** description about a given node label within the **grammar**. The description may be null. Ancestor ...

www.cs.uwaterloo.ca/~fwtoppa/papers/sqlmm/lhr24r1.rest.html - 100k -

[Cached](#) - [Similar pages](#)**BlogSpinner - A How-To Guide To Spinning Blogs: August 2005**Notice that I've used a numeric date **format**. You could use a **format** such as ... **Grammar**is another story. The problem is that in **speech**, we almost never use ...

blogspinner.blogspot.com/2005_08_01_blogspinner_archive.html - 105k -

[Cached](#) - [Similar pages](#)**The Turvy Experience**Turvy spots keywords and phrases in users' continuous **speech**. ... A **grammar** for procedures learned by Turvy is given in the Appendix to this chapter. ...www.acypher.com/wwid/Chapters/11Turvy.html - 71k - [Cached](#) - [Similar pages](#)**[LX] LINKMATRIX.de: XHTML 1700+ Free eLearning Tutorials Lernen**user9 How to Speed Up Your **Textpattern** Web Site ... These modules, along with **Speech** Synthesis Markup Language and **Speech Recognition Grammar Format** are ...www.linkmatrix.de/tutorials.php?q=XHTML - 504k - [Cached](#) - [Similar pages](#)**[LX] LINKMATRIX.de: DICTIONAR 1700+ Free eLearning Tutorials Lernen**pi libdv2 0.99-1 A software library for DV **format** digital video runtime lib ... JSON has a much smaller **grammar** and maps more directly onto the data ...www.linkmatrix.de/tutorials.php?q=DICTIONAR - 232k - [Cached](#) - [Similar pages](#)**Object Hierarchy (System)**SrgsGrammarCompiler, Compiles an XML-**format** SRGS document into a binary CFG file:System.**Speech**.Recognition.SrgsGrammar.SrgsRule, Represents the **grammar** ...msdn2.microsoft.com/en-us/9h7b3k1e.aspx - 725k - [Cached](#) - [Similar pages](#)**podcast - SWiK**... government gpl GPS grabación **grammar** graphics grassMedia grassroots ... texas Texttext-to-**speech** textbooks textcast textcasting texto **textpattern** ...swik.net/podcast?index&fullCloud - 343k - [Cached](#) - [Similar pages](#)**open-source - SWiK**... grafica grafika grails **grammar** graph graph-theory graphic graphic-design ... Text-Processing text-to-**speech** textbook textbooks textile **textpattern** ...swik.net/open-source?index&fullCloud - 493k - [Cached](#) - [Similar pages](#)[\[More results from swik.net \]](#)**User-Archiv - Referenzen und Informationen über CSS - Cascading ...** - [\[Translate this page \]](#)9. Calculating a selector's specificity · 10. The **grammar** of Selectors ... Color referencingmethods. 3 or 6 digit hexadecimal **format** (#fff or #ffffff) ...www.user-archiv.de/css-arbeitshilfe.html - 99k - [Cached](#) - [Similar pages](#)**Anarchaia: A tumblelog by Christian Neukirchen**

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 362,000 for **text pattern speech grammar format interface**. (0.31 seconds)Did you mean: **textpattern** speech grammar format interface**Speech Recognition Grammar Specification Version 1.0**

This specification is part of the W3C **Speech Interface Framework** and has been ... **Speech** recognizer configuration: The **grammar format** does not incorporate ...
www.w3.org/TR/speech-grammar/ - 235k - [Cached](#) - [Similar pages](#)

Speech Recognition Grammar Specification for the W3C Speech ...

These grammars inform the recognizer of the words and **patterns** of words to ... **Speech** recognizer configuration: the **grammar format** does not incorporate ...
www.w3.org/TR/2001/WD-speech-grammar-20010820/ - 180k - [Cached](#) - [Similar pages](#)
[[More results from www.w3.org](#)]

Title Index

2 (DSS 2) — User-network **interface** layer 3 specification for ... **Timed Text (TT) Authoring Format 1.0** — Distribution **Format Exchange Profile (DFXP)** ...
dret.net/biblio/titles - 965k - [Cached](#) - [Similar pages](#)

Keyword Index

... SCSI (Small Computer System **Interface**): rfc21430.7 ... iec61966-2 · SRGS (**Speech Recognition Grammar Specification**): speechgrammar, semspeechreg0.9 ...
dret.net/biblio/keywords - 680k - [Cached](#) - [Similar pages](#)

Cover Pages: W3C Speech Recognition Grammar Specification

This W3C specification is based upon the JSpeech **Grammar Format (JSGF)** ... **Speech Recognition Grammar Specification for the W3C Speech Interface Framework** ...
xml.coverpages.org/speechRecognitionGrammar.html - 19k - [Cached](#) - [Similar pages](#)

Cover Pages: VoiceXML 2.0 and Speech Recognition Grammar Published ...

The syntax of the **grammar format** is presented in two forms, an Augmented BNF Form and ... In the W3C **Speech Interface Framework**, VoiceXML controls how the ...
xml.coverpages.org/ni2004-03-16-a.html - 34k - [Cached](#) - [Similar pages](#)
[[More results from xml.coverpages.org](#)]

Grammar Format Specification

The Java **Speech Grammar Format** is a platform-independent, ... The example **text** may also be used by **grammar** tools to verify the correctness of the **grammar**. ...
java.sun.com/products/java-media/speech/forDevelopers/JSGF/JSGF.html - 85k - [Cached](#) - [Similar pages](#)

the w3c speech interface framework media types application

The syntax of the **grammar format** exists in two forms, an Augmented BNF ... Code "TEXT" Froumentin Informational [Page 6] RFC 4267 W3C **Speech Interface Media** ...
www.ietf.org/rfc/rfc4267.txt - 18k - [Cached](#) - [Similar pages](#)

[PDF] VOICEXML 2.0 AND THE W3C SPEECH INTERFACE FRAMEWORK jim.a.larson ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Example of the ABNF **grammar format** (bold text) with embedded semantic interpretation tags ... The W3C **Speech Interface Framework** languages will be used to ...

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13339	interface near2 (dependent or specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L2	61	(interface near2 (dependent or specific)) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L3	589	(web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L4	160	transform\$4 near3 (data or text) near3 tag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L5	33	transform\$4 near3 (data or text) near3 (lexical or semantic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L6	256	(data near2 transform) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
L7	301	(display\$3 near5 (data text\$3 information document\$3) near5 different\$4 near5 user\$4 near5 interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:21
L8	157290	(phon\$4 telephon\$3) near5 (input receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:22
L9	5	(original\$4 near5 document\$4) and apply\$4 near5 text\$4 near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:27

EAST Search History

L10	200	document\$4 near5 (edit\$4 conver\$4 translat\$4) near5 format\$4 near5 standard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:27
L11	1169	((WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1) and generat\$4) and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:27
S1	4142	interface near2 (dependent or specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
S2	8	(interface near2 (dependent or specific)) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
S3	1227	web near2 search\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:50
S4	67	(web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
S5	61	((web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)) and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:51
S6	24	((web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)) and interface\$1) and transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:52
S7	1	lexical near3 data near3 transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:11
S8	21	transform\$4 near3 (data or text) near3 tag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21

EAST Search History

S9	7	transform\$4 near3 (data or text) near3 (lexical or semantic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
S10	6674	data near2 transform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:50
S11	19	(data near2 transform) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:21
S12	391	(data near2 transform) same (lexical or grammar\$1 arrang\$5 or tag\$4 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 15:03
S13	26	((data near2 transform) same (lexical or grammar\$1 arrang\$5 or tag\$4 or database)) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 15:03
S14	1282	WAP or (wireless adj application adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:09
S15	57	(WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:10
S16	52	((WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1) and generat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:11
S17	49	((((WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1) and generat\$4) and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:27
S18	510	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/19 10:26

EAST Search History

S19	1945	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/19 10:26
S20	22957	(obtain\$5 or get\$4 or receiv\$4) near5 data near5 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:11
S21	2583	text\$1 near5 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:13
S22	66	((obtain\$5 or get\$4 or receiv\$4) near5 data near5 network) and (text\$1 near5 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:13
S23	224	data near5 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:41
S24	16	(data near5 (transform\$4) near10 text\$1) and (text\$1 near5 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:30
S25	36	voice\$2 near5 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:56
S26	51	voice\$2 near10 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:53
S27	38450	(document\$1 or data) near5 transform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:57
S28	168	((document\$1 or data) near5 transform\$5) and (text near5 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:58

EAST Search History

S29	2	((document\$1 or data) near5 transform\$5) and (text near5 pattern\$1)) and (lexic\$5 near10 semant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 10:00
S30	2	"5915001".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 10:38
S31	1679	voice\$1 near5 output\$4 near5 telephone\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:12
S32	0	(voice\$1 near5 output\$4 near5 telephone\$1) and (interface\$1 near5 sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:12
S33	530	(voice\$1 near5 output\$4 near5 telephone\$1) and (interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:36
S34	0	(voice\$1 near5 output\$4 near5 telephone\$1) and (interface\$1 near10 WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:13
S35	18	(voice\$1 near5 output\$4 near5 telephone\$1) and (interface\$1 near5 specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:15
S36	1	((voice\$1 near5 output\$4 near5 telephone\$1) and (interface\$1 near5 specific)) and WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:16
S37	6	(voice\$1 near5 output\$4 near5 telephone\$1) and (WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:36
S38	62	generat\$5 near5 WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:42

EAST Search History

S39	31	(communicat\$5 near5 WAP) and (phrase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:43
S40	471	communicat\$5 near5 WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:44
S41	0	text\$3 near5 pattern43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:01
S42	31430	data near3 transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:02
S43	0	(data near3 transform\$4) same (text\$3 same (uniform near7 format\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:06
S44	5	(data near3 transform\$4) same (text\$3 same (uniform near7 format\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:13
S45	62	(data near3 transform\$4) same (first same second same (data near5 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:33
S46	62	(data near3 transform\$4) same (first same second same (data near5 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:37
S47	31	((data near3 transform\$4) same (first same second same (data near5 file\$1))) and text\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:33
S48	857	(data near3 transform\$4) same (data near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:37

EAST Search History

S49	77	((data near3 transform\$4) same (data near5 file\$1)) same (text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:40
S50	42978	document\$1 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:03
S51	2	(document\$1 near5 process\$4) and (transform\$4 near5 uniform\$1 near5 format\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:05
S52	217	(document\$1 near5 process\$4) and (uniform\$1 near5 format\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:06
S53	0	((document\$1 near5 process\$4) and (uniform\$1 near5 format\$3)) and (user\$1 near5 interface\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:07
S54	0	((document\$1 near5 process\$4) and (uniform\$1 near5 format\$3)) and (interface\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:07
S55	14	((document\$1 near5 process\$4) and (uniform\$1 near5 format\$3)) and (user\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:11
S56	1	text\$3 near9 arrang\$4 near9 uniform\$1 near5 format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:12
S57	106	text\$3 near9 uniform\$1 near5 format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 16:16
S58	2	"6569208".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:14

EAST Search History

S59	1	"5884266".PN.	US-PGPUB; USPAT	OR	ON	2003/12/02 14:12
S60	6	(text\$4 near5 (pars\$4 pattern\$3)) same (uniform\$1 near9 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:21
S61	68	(text\$3 near5 transform\$3) and (output\$3 near5 voice\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:23
S62	51	((text\$3 near5 transform\$3) and (output\$3 near5 voice\$3)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:24
S63	128928	display\$4 near5 specifc\$4 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:21
S64	0	display\$4 near5 specifc\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:21
S65	593	display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:25
S66	13	(display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4) and (receiv\$4 near5 data) and (transform\$4 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:24
S67	12	((display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4) and (receiv\$4 near5 data) and (transform\$4 near5 data)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:23
S68	92	display\$4 near5 (data text\$3) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:27

EAST Search History

S69	182	display\$4 near5 (data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28
S70	9	(display\$4 near5 (data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:57
S71	103	(display\$4 present\$4 represnet\$4) near5 (data text\$3) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28
S72	208	(display\$4 represent\$4 present\$4) near5 (data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28
S73	19	((display\$4 represent\$4 present\$4) near5 (data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:30
S74	3	(transform\$4 near5 (data text information) near5 specific\$4 near5 user\$4 near5 interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:31
S75	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near5 "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37
S76	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near9 "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37
S77	493	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37

EAST Search History

S78	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same ("with")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:38
S79	493	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:35
S80	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near9 user\$4 near5 interface\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S81	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same user\$4 near5 interface\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S82	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same (user\$4 near5 interface\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S83	1784	(transform\$4 translat\$4 conver\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:35
S84	54648	(display\$4 open present\$4) near7 user\$4 near4 interfac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:36
S85	100	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:36
S86	38459	text\$4 near5 (conver\$4 transform\$3 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:37
S87	43	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:18

EAST Search History

S88	3578	document\$4 near5 (edit\$4 conver\$4 translat\$4) near5 format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:19
S89	162	document\$4 near5 (edit\$4 conver\$4 translat\$4) near5 format\$4 near5 standard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:27
S90	2	S89 and (receiv\$4 near5 original\$4 near5 document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:55
S91	88	S89 and (receiv\$4 near5 document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:23
S92	11	S91 and (rearrang\$4 near5 form\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:23
S93	2	"6151601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:54
S94	0	(receiv\$4 near5 original\$4 near5 document\$4) near9 apply\$4 near5 text near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:56
S95	0	(receiv\$4 near5 original\$4 near5 document\$4) and apply\$4 near5 text\$4 near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:57
S96	4	(original\$4 near5 document\$4) and apply\$4 near5 text\$4 near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:27
S97	2	"6212494".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26

EAST Search History

S98	1	S97 and (on-line internet network) near6 (document\$4 receiv\$4 obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
S99	1	S97 and (on-line internet network) same (document\$4 receiv\$4 obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
S100	1	S97 and (text\$4 near10 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
S101	1	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:10
S102	1	S101 and grammatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:10
S103	11	(display\$3 near5 (data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:59
S104	18	(display\$3 near5 (data text\$3 information) near5 different\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:03
S105	195	(display\$3 near5 (data text\$3 information document\$3) near5 different\$4 near5 user\$4 near5 interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:21
S106	1	"6212494".pn. and (text\$4 near10 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26
S107	200557	(voic\$3 speech\$3 phon\$3 telephon\$3) near5 (input\$3 receiv\$3 obtain\$3 get\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:06

EAST Search History

S10 8	5628	S107 and ((transform\$4 conver\$3 apply\$3) near5 text\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:07
S10 9	45	S108 and (uniform\$3 near5 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:09
S11 0	24	S109 and (output\$3 result\$3) near5 (wap web phon\$3 telephon\$3 speech\$3 voic\$3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:40
S11 1	3056	S108 and (output\$3 result\$3) near5 (wap web phon\$3 telephon\$3 speech\$3 voic\$3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:40
S11 2	191	S111 and (sentenc\$4 near5 (apply\$4 generat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:41
S11 3	1434	S111 and (different\$4 specific\$3 certain\$3 interfac\$) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:42
S11 4	1434	S111 and (different\$4 specific\$3 certain\$3 interfac\$3) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:42
S11 5	112	S112 and (different\$4 specific\$3 certain\$3 interfac\$) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:43
S11 6	203615	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (input receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22

EAST Search History

S11 7	7765	S116 and (text\$3 document\$3) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S11 8	211948	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (input\$3 receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 13:56
S11 9	66	S117 and (generat\$4 near5 sentenc\$4 near5 (output\$4 result\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22
S12 0	20806	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (internet\$3 network\$3) near5 (receiv\$3 obtain\$4 get\$3 input\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:19
S12 1	1461	S120 and (text\$3 document\$3) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:21
S12 2	1	S121 and (generat\$4 near5 sentenc\$4 near5 (output\$4 result\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S12 3	133743	(phon\$4 telephon\$3) near5 (input receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/18 15:22
S12 4	203615	S116 or S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24

EAST Search History

S12 5	6466	S124 and (text\$3) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S12 6	6	S125 and (sentenc\$4 near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:33
S12 7	1239	(phon\$3 telephon\$3) near9 (network\$4 internet\$3) near5 text\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:32
S12 8	116	(phon\$3 telephon\$3) near9 (network\$4 internet\$3) near5 text\$4 near9 (conver\$4 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:32
S12 9	0	S128 and (sentenc\$4 near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:34
S13 0	0	S128 and (gamma\$4 near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:10
S13 1	1013	(telephon\$4 phon\$4) near5 (conver\$4 transform\$3) near5 text\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:08
S13 2	1	S131 and ((gamma\$4 sentenc\$3) near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:12

EAST Search History

S13 3	284	S131 and ((output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:12
S13 4	120	S133 and (sentenc\$3 gramma\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:13
S13 5	112433	(voice\$2 speech\$3 phon\$2 telephon\$2 cell\$3) near5 conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:27
S13 6	207031	(voice\$2 speech\$3 phon\$2 telephon\$2 cell\$3) near5 (conver\$5 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:39
S13 7	7516	(voice\$2 speech\$3 phon\$2 telephon\$2 cell\$3) near5 (conver\$5 transform\$3) near5 text\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:39
S13 8	1657	S137 and (text\$3 near5 file\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:40
S13 9	100	S138 AND (phras\$3 sentenc\$3) near5 (output\$3 interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:42
S14 0	34	S139 and @ad<"20000321"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 14:43